

1 Introduced September 25, 2001, by  
2 Councilman Cerny, seconded by Councilman  
3 Cusimano, (both by request of  
4 Administration)

5  
6 **RESOLUTION NO. R01-24**

7 A resolution requesting the Administration of the City of Slidell complete  
8 and submit the Municipal Water Pollution Prevention Environmental Audit Report to the  
9 DEQ for Northshore Square Shopping Center Wastewater Treatment Facility.

10  
11 WHEREAS, the DEQ has a reporting requirement for all wastewater  
12 discharges; and

13  
14 WHEREAS, the City of Slidell has received from the DEQ a request for a  
15 MWPP Report, LWDPS Permit No. LA0065111; and

16  
17 WHEREAS, the City's Administrative Staff has compiled the information as  
18 requested in the audit; and

19  
20 WHEREAS, the Administrative Staff of the City of Slidell advises that the  
21 information is accurate and complete to the best of their knowledge.


22  
23  
24 NOW THEREFORE BE IT RESOLVED by the Slidell City Council that it  
25 does hereby request the Administrative staff to forward the information to the Louisiana  
26 DEQ according to instructions in the herein stated request.

27  
28  
29 BE IT FURTHER RESOLVED that the Administrative staff is requested to  
30 continue efforts to comply with the requirements of DEQ and to continue to operate the  
31 wastewater treatment facility in compliance with the permit requirements.  
32  
33  
34  
35  
36  
37  
38

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38

**RESOLUTION R01-24**  
**PAGE 2**

**ADOPTED** this 25th day of September, 2001.



John E. "Jack" Cerny  
President of the Council  
Councilman, District F



Davis Dautreuil  
Council Administrator/Clerk of the Council